Contents

No. 1 – 1 – 172 issued February 2000
No. 2 – 173 – 374 issued March 2000
No. 3 – 375 – 560 issued April 2000
No. 4 – 561 – 740 issued May 2000
No. 5 – 741 – 888 issued June 2000
No. 6 – 889 – 1072 issued July 2000

Original Papers

Abbott A → Jung S
Abe H, Ohbayashi F, Shimada T, Sugasaki T, Kawai S, Mita K, Oshiki T: Molecular structure of a novel *gypsy*-Ty3-like retrotransposon (*Kabuki*) and nested retrotransposable elements on the W chromosome of the silkworm *Bombyx mori* 916
Aguilera A → Prado F
Akiyama Y → Ohmido N
Andrade AC, Van Nistelrooy JGM, Peery RB, Skatrud PL, De Waard MA: The role of ABC transporters from *Aspergillus nidulans* in protection against cytotoxic agents and in antibiotic production 966
Angata K → Ogawa S
Anraku Y → Yoshida S
Avalos J → Fernández-Martín R
Avivi Y → Galili S
Ayyub C, Rodrigues V, Hasan G, Siddiqi O: Genetic analysis of *olfC* demonstrates a role for the position-specific integrins in the olfactory system of *Drosophila melanogaster* 498

Babbarwal V → Gaikwad A
Balint-Kurti PJ, Clendennen SK, Doleželová M, Valárik M, Doležel J, Beetham PR, May GD: Identification and chromosomal localization of the *monkey* retrotransposon in *Musa* sp. 908
Balsalobre C → Nieto JM
Barbé J → Tapias A
Barbrook AC, Howe CJ: Minicircular plastid DNA in the dinoflagellate *Amphidinium operculatum* 152
Bateman JM, Purton S: Tools for chloroplast transformation in *Chlamydomonas*: expression vectors and a new dominant selectable marker 404
Beetham PR → Balint-Kurti PJ
Behura SK, Nair S, Sahu SC, Mohan M: An AFLP marker that differentiates biotypes of the Asian rice gall midge (*Orseolia oryzae*, Wood-Mason) is sex-linked and also linked to avirulence 328
Benos P, Tavernarakis N, Brogna S, Thireos G, Savakis C: Acquisition of a potential marker for insect transformation: isolation of a novel alcohol dehydrogenase gene from *Bactrocera oleae* by functional complementation in yeast 90
Berberich T → Ohba H
Bi Y-M, Brugière N, Cui Y, Goring DR, Rothstein SJ: Transformation of *Arabidopsis* with a *Brassica SLG/SRK* region and *ARC1* gene is not sufficient to transfer the self-incompatibility phenotype 648
Bieszke JA → Yang Q
Bilsland-Marchesan E → Ramne A
Bitonti MB → Giannino D
Bitter GA, Tsai M-M, Putzke AP, Leong K: Intergenic complementation truncation mutants of cyclin-dependent kinase 222
Blanchin-Roland S → Tréton B
Bonifacino JS → Mullins C
Borkovich KA → Yang Q
Brandl CJ → Davey M
Braus GH → Eckert SE
Brignon P → Neuvéglise C
Brink JM van den, Punt PJ, Gorcom RFM van, Hondel CAMJJ van den: Regulation of expression of the *Aspergillus niger* benzoate para-hydroxylase cytochrome P450 system 601
Brogna S → Benos P
Brugière N → Bi Y-M
Bruschi CV → Storici F
Bruton CJ → Schneider D
Buisine N → Trichet V
Burger A, Sichler K, Kelemen G, Buttner M, Wohlleben W: Identification and characterization of the *mre* gene region of *Streptomyces coelicolor* A3(2) 1053
Buttner M → Burger A

Campoy S → Tapias A
Carlson SJ, Shanker S, Chourey PS: A point mutation at the *Miniature1* seed locus reduces levels of the encoded protein, but not its mRNA, in maize 367
Carrascal M → Nieto JM
Casarégola S → Neuvéglise C
Cattivelli L → Vágújfalvi A
Cerdá-Olmedo E → Fernández-Martín R
Chang C-H, Wu M: The effects of transcription and RNA processing on the initiation of chloroplast DNA replication in *Chlamydomonas reinhardtii* 320
Chater KF → Schneider D
Chiu W-L → Hupfer H
Chourey PS → Carlson SJ
Christou P → Fu X
Clendennen SK → Balint-Kurti PJ
Coen D → Delattre M
Comendador MA → Tosal L
Cornelissen BJC → Mes JJ
Cozza R → Giannino D
Crosatti C → Vágújfalvi A
Cross FR → Yuste-Rojas M
Cui Y → Bi Y-M
Cujec TP → de la Serna I

d'Erfurth I → Meijer AH
Davey M, Hannam C, Wong C, Brandl CJ: The yeast peptidyl proline isomerases FPR3 and FPR4, in high copy numbers, suppress defects resulting from the absence of the E3 ubiquitin ligase TOM1 520
Davis RH → Hoyt MA
de la Serna I, Cujec TP, Shi Y, Tyler BM: Non-coordinate regulation of 5S rRNA genes and the gene encoding the 5S rRNA-binding ribosomal protein homolog in *Neurospora crassa* 987
De Waard MA → Andrade AC
Debaud J-C → Jargeat P
Delattre M, Tatout C, Coen D: *P*-element transposition in *Drosophila melanogaster*: influence of size and arrangement in pairs 445
Demuth V → Khan AS
Depicker A → Van Houdt H
Dessaux Y → Stróżycki PM
Di Mauro E → Venditti S
Di Stefano G → Venditti S
Dimova D, Weigel P, Takahashi M, Marc F, Van Duyne GD, Sakanyan V: Thermostability, oligomerization and DNA-binding properties of the regulatory protein ArgR from the hyperthermophilic bacterium *Thermotoga neapolitana* 119
Dixon J → Doe CL
Dockendorff TC, Robertson SE, Faulkner DL, Jongens TA: Genetic characterization of the 44D-45B region of the *Drosophila melanogaster* genome based on an F_2 lethal screen 137
Doe CL, Osman F, Dixon J, Whitby MC: The Holliday junction resolvase *Sp*CCE1 prevents mitochondrial DNA aggregation in *Schizosaccharomyces pombe* 889
Dohmen RJ → Schwienhorst I
Doležel J → Balint-Kurti PJ
Doleželová M → Balint-Kurti PJ
Dröge M, Pühler A, Selbitschka W: Phenotypic and molecular characterization of conjugative antibiotic resistance plasmids isolated from bacterial communities of activated sludge 471
Dubcovsky J → Vágújfalvi A
DuBow MS → Kukolj G

Eckert SE, Kübler E, Hoffmann B, Braus GH: The tryptophan synthase-encoding *trpB* gene of *Aspergillus nidulans* is regulated by the cross-pathway control system 867
Ellis THN → Pearce SR
Enei H → Hirano T
Erickson S → Ramne A
Esser K → Jan P-S

Fabritius A-L → Judelson HS
Faulkner DL → Dockendorff TC
Faure D → Somers E
Feldman M → Galili S
Feller F → Hamann A
Fernández-Martín R, Cerdá-Olmedo E, Avalos J: Homologous recombination and allele replacement in transformants of *Fusarium fujikuroi* 838

Fetter K → Schouten J
Flavell AJ → Pearce SR
Florencio FJ → Vega-Palas MA
Florio S → Giannino D
Flower AM, Hines LL, Pfennig PL: SecG is an auxiliary component of the protein export apparatus of *Escherichia coli* 131
Flügge U-I → Kofler H
Fox AN → Stevenson CB
Frugis G → Giannino D
Fu X, Kohli A, Twyman RM, Christou P: Alternative silencing effects involve distinct types of non-spreading cytosine methylation at a three-gene, single-copy transgenic locus in rice 106
Fukuda K → Gunge N
Fukui K → Ohmido N
Fukui K → Shishido R

Gaikwad A, Babbarwal V, Pant V, Mukherjee SK: Pea chloroplast FtsZ can form multimers and correct the thermosensitive defect of an *Escherichia coli ftsZ* mutant 213
Gaillardin C → Neuvéglise C
Gaillardin C → Tréton B
Galiba G → Vágújfalvi A
Galili S, Avivi Y, Millet E, Feldman M: RFLP-based analysis of three *RbcS* subfamilies in diploid and polyploid species of wheat 674
Gay G → Jargeat P
Gendre F → Neuvéglise C
Georgiev P → Zakharenko LP
Giannino D, Frugis G, Ticconi C, Florio S, Mele G, Santini L, Cozza R, Bitonti MB, Innocenti A, Mariotti D: Isolation and molecular characterisation of the gene encoding the cytoplasmic ribosomal protein S28 in *Prunus persica* [L.] Batsch 201
Goldman GH → Souza CC de
Goldman MHS de → Souza CC de
Golubovsky MD → Zakharenko LP
González-Barrera S → Prado F
Gorbunova V, Ramos C, Hohn B, Levy AA: A nuclear protein that binds specifically to several maize transposons is not essential for *Ds1* excision 492
Gorcom RFM van → Brink JM van den
Goring DR → Bi Y-M
Gottfried P, Yagil E, Kolot M: Core-binding specificity of bacteriophage integrases 619
Gracheva EM → Zakharenko LP
Greene JC → Monde R-A
Gröner F → Kofler H
Gunge N, Takata H, Fukuda K, Iwao S, Miyakawa I: Relocation of a cytoplasmic yeast linear plasmid to the nucleus is associated with circularization via nonhomologous recombination involving inverted terminal repeats 846

Habu Y → Kojima T
Hacker J → Khan AS
Hahnen E, Znamenskaya L, Koczan D, Leshchinskaya I, Hobom G: A novel secreted ribonuclease from *Bacillus intermedius*: gene structure and regulatory control 571
Halvorsen Ottoy M → Somers E
Hamann A, Feller F, Osiewacz HD: The degenerate DNA transposon *Pat* and repeat-induced point mutation (RIP) in *Podospora anserina* 1061
Hannam C → Davey M
Hansen J, Johannesen PF: Cysteine is essential for transcriptional regulation of the sulfur assimilation genes in *Saccharomyces cerevisiae* 535
Hara K, Yagi M, Kusano T, Sano H: Rapid systemic accumulation of transcripts encoding a tobacco WRKY transcription factor upon wounding 30
Harada K → Kubo N
Harashima S → Mizuno T
Haring MA → Mes JJ
Hartnell LM → Mullins C
Hasan G → Ayyub C
Hasebe T → Yamazaki T
Häusler RE → Kofler H
Herrmann RG → Hupfer H
Herrmann RG → Krause K
Heyer W-D → Interthal H
Hines LL → Flower AM
Hirano T, Sato T, Yaegashi K, Enei H: Efficient transformation of the edible basidiomycete *Lentinus edodes* with a vector using a glyceraldehyde-3-phosphate dehydrogenase promoter to hygromycin B resistance 1047
Hiratsu K, Mochizuki S, Kinashi H: Cloning and analysis of the replication origin and the telomeres of the large linear plasmid pSLA2-L in *Streptomyces rochei* 1015
Hjort C → Pedersen H
Hobom G → Hahnen E
Hoffmann B → Eckert SE
Hoge JHC → Meijer AH
Hoge JHC → Schouten J
Hohn B → Gorbunova V
Hondel CAMJJ van den → Brink JM van den
Hornung S → Hupfer H
Howe CJ → Barbrook AC
Howlett BJ → Sexton AC
Hoyt MA, Williams-Abbott LJ, Pitkin JW, Davis RH: Cloning and expression of the *S*-adenosylmethionine decarboxylase gene of *Neurospora crassa* and processing of its product 664
Hupfer H, Swiatek M, Hornung S, Herrmann RG, Maier RM, Chiu W-L, Sears B: Complete nucleotide sequence of the *Oenothera elata* plastid chromosome, representing plastome I of the five distinguishable Euoenothera plastomes 581

Iida S → Kojima T
Ikeda Y → Ohba H
Innocenti A → Giannino D
Interthal H, Heyer W-D: *MUS81* encodes a novel Helix-hairpin-Helix protein involved in the response to UV- and methylation-induced DNA damage in *Saccharomyces cerevisiae* 812
Ishiwa A, Komano T: The lipopolysaccharide of recipient cells is a specific receptor for PilV proteins, selected by shufflon DNA rearrangement, in liquid matings with donors bearing the R64 plasmid 159
Iwamoto M → Ogawa S
Iwao S → Gunge N

Jan P-S, Esser K, Pratje E, Michaelis G: Som1, a third component of the yeast mitochondrial inner membrane peptidase complex that contains Imp1 and Imp2 483
Jargeat P, Gay G, Debaud J-C, Marmeisse R: Transcription of a nitrate reductase gene isolated from the symbiotic basidiomycete fungus *Hebeloma cylindrosporum* does not require induction by nitrate 948
Jeong SM, Kawasaki K, Juni N, Shibata T: Identification of *Drosophila melanogaster* RECQE as a member of a new family of RecQ homologues that is preferentially expressed in early embryos 183
Jiang H, Tatchell K, Liu S, Michels CA: Protein phosphatase type-1 regulatory subunits Reg1p and Reg2p act as signal transducers in the glucose-induced inactivation of maltose permease in *Saccharomyces cerevisiae* 411
Jiang J → Wang S
Johannesen PF → Hansen J
Johnsen RC, Jones SJM, Rose AM: Mutational accessibility of essential genes on chromosome I(left) in *Caenorhabditis elegans* 239
Johnson ES → Schwienhorst I
Jones SJM → Johnsen RC
Jong JH de → Ohmido N
Jongens TA → Dockendorff TC
Jordana X → Kubo N
Juárez A → Nieto JM
Judelson HS, Fabritius A-L: A linear RNA replicon from the oomycete *Phytophthora infestans* 395
Jung S, Powell G, Moore K, Abbott A: The high oleate trait in the cultivated peanut [*Arachis hypogaea* L.]. II. Molecular basis and genetics of the trait 806
Jung S, Swift D, Sengoku E, Patel M, Teulé F, Powell G, Moore K, Abbott A: The high oleate trait in the cultivated peanut [*Arachis hypogaea* L.]. I. Isolation and characterization of two genes encoding microsomal oleoyl-PC desaturases 796
Juni N → Jeong SM

Kadowaki K → Kubo N
Kahl G → Terauchi R
Kajiwara S → Yamazaki T
Kalinowski J → Tauch A
Kam RJ de → Meijer AH
Kam RJ de → Schouten J
Kaneko I, Tanaka A, Tsuge T: *REAL*, an LTR retrotransposon from the plant pathogenic fungus *Alternaria alternata* 625
Karłowski WM → Stróżycki PM
Kato M → Tani S
Kawaguchi T → Tani S
Kawai S → Abe H
Kawasaki K → Jeong SM
Kawasaki S → Ohba H
Keijers V → Somers E
Kelemen G → Burger A
Kelly JM → Todd RB
Kempken F, Kück U: Tagging of a nitrogen pathway-specific regulator gene in *Tolypocladium inflatum* by the transposon *Restless* 302

Kennell JC → Stevenson CB
Khan AS, Mühldorfer I, Demuth V, Wallner U, Korhonen TK, Hacker J: Functional analysis of the minor subunits of S fimbrial adhesin (SfaI) in pathogenic *Escherichia coli* 96
Kijima K → Ohmido N
Kinashi H → Hiratsu K
Knox M → Pearce SR
Kobayashi T → Tani S
Kochieva EZ → Zakharenko LP
Koczan D → Hahnen E
Kofer W → Krause K
Kofler H, Häusler RE, Schulz B, Gröner F, Flügge U-I, Weber A: Molecular characterisation of a new mutant allele of the plastid phosphoglucomutase in *Arabidopsis*, and complementation of the mutant with the wild-type cDNA 978
Kohli A → Fu X
Koizumi N → Ohba H
Kojima T, Habu Y, Iida S, Ogihara Y: Direct isolation of differentially expressed genes from a specific chromosome region of common wheat: application of the amplified fragment length polymorphism-based mRNA fingerprinting (AMF) method in combination with a deletion line of wheat 635
Kokko H → Riekki R
Kolot M → Gottfried P
Komano T → Ishiwa A
Korhonen TK → Khan AS
Krajewski WA: Histone hyperacetylation facilitates chromatin remodelling in a *Drosophila* embryo cell-free system 38
Krause K, Maier RM, Kofer W, Krupinska K, Herrmann RG: Disruption of plastid-encoded RNA polymerase genes in tobacco: expression of only a distinct set of genes is not based on selective transcription of the plastid chromosome 1022
Krieft S → Tauch A
Krubasik P, Sandmann G: A carotenogenic gene cluster from *Brevibacterium linens* with novel lycopene cyclase genes involved in the synthesis of aromatic carotenoids 423
Krupinska K → Krause K
Kübler E → Eckert SE
Kubo N, Jordana X, Ozawa K, Zanlungo S, Harada K, Sasaki T, Kadowaki K: Transfer of the mitochondrial *rps10* gene to the nucleus in rice: acquisition of the 5′ untranslated region followed by gene duplication 733
Kück U → Kempken F
Kück U → Pöggeler S
Kukolj G, DuBow MS: The bacteriophage D108 Ner repressor binds a conformationally distinct operator 592
Kumar A → Pearce SR
Kuroe K → Ogawa S
Kusano T → Hara K
Kusano T → Ohba H

Lambert M → Tréton B
Le Pennec J-P → Trichet V
Legocki AB → Stróżycki PM
Leong K → Bitter GA
Lépingle A → Tréton B
Lerbs-Mache S → Trifa Y
Leshchinskaya I → Hahnen E
Levy AA → Gorbunova V
Limbach MP, Zitomer RS: The isolation and characterization of missense mutants in the general repressor protein Ssn6 of *Saccharomyces cerevisiae* 455
Lisse T, Schwarz E: Functional specificity of the mitochondrial DnaJ protein, Mdj1p, in *Saccharomyces cerevisiae* 527
Liu B, Morris NR: A spindle pole body-associated protein, SNAD, affects septation and conidiation in *Aspergillus nidulans* 375
Liu S → Jiang H
Liu Z → Ni Z
Lockington RA → Todd RB

Ma R-C, Oliveira MM: The RNase PD2 gene of almond (*Prunus dulcis*) rep1esents an evolutionarily distinct class of S-like RNase genes 925
Macas J, Požárková D, Navrátilová A, Nouzová M, Neumann P: Two new families of tandem repeats isolated from genus *Vicia* using genomic self-priming PCR 741
Machida Y → Toyoda-Yamamoto A
Mackill DJ → Xu K
Madrid C → Nieto JM
Maier RM → Hupfer H
Maier RM → Krause K
Marc F → Dimova D
Marilley M: Structure-function relationships in replication origins of the yeast *Saccharomyces cerevisiae*: higher-order structural organization of DNA in regions flanking the ARS consensus sequence 854
Mariotti D → Giannino D
Marmeisse R → Jargeat P
Martín-Figueroa E → Vega-Palas MA
Matsuo K → Ogawa S
May GD → Balint-Kurti PJ
Meijer AH, Kam RJ de, d'Erfurth I, Shen W, Hoge JHC: HD-Zip proteins of families I and II from rice: interactions and functional properties 12
Mele G → Giannino D
Mes JJ, Haring MA, Cornelissen BJC: *Foxy*: an active family of short interspersed nuclear elements from *Fusarium oxysporum* 271
Michaelis G → Jan P-S
Michels CA → Jiang H
Millet E → Galili S
Miquelay E → Nieto JM
Mita K → Abe H
Miyakawa I → Gunge N
Mizuno T, Harashima S: Activation of basal transcription by a mutation in *SIN4*, a yeast global repressor, occurs through a mechanism different from activator-mediated transcriptional enhancement 48
Mochizuki S → Hiratsu K
Mohan M → Behura SK
Monde R-A, Greene JC, Stern DB: Disruption of the *petB-petD* intergenic region in tobacco chloroplasts affects *petD* RNA accumulation and translation 610
Moore K → Jung S
Morán P → Trichet V
Morio T → Ogawa S
Morris NR → Liu B
Mouchel N → Trichet V
Mühldorfer I → Khan AS
Mukherjee SK → Gaikwad A
Mullins C, Hartnell LM, Bonifacino JS: Distinct requirements for the AP-3 adaptor complex in pigment granule and synaptic vesicle biogenesis in *Drosophila melanogaster* 1003

Nair S → Behura SK
Navrátilová A → Macas J
Neumann P → Macas J
Neuvéglise C, Solano-Serena F, Brignon P, Gendre F, Gaillardin C, Casarégola S: Homologous recombination and transposition generate chromosome I neopolymorphism during meiosis in *Saccharomyces cerevisiae* 722
Ni Z, Sun Q, Liu Z, Wu L, Wang X: Identification of a hybrid-specific expressed gene encoding novel RNA-binding protein in wheat seedling leaves using differential display of mRNA 934
Niehaus K → Schiene K
Nielsen J → Pedersen H
Nieto JM, Madrid C, Prenafeta A, Miquelay E, Balsalobre C, Carrascal M, Juárez A: Expression of the hemolysin operon in *Escherichia coli* is modulated by a nucleoid-protein complex that includes the proteins Hha and H-NS 349
Nouzová M → Macas J

Ogawa S, Yoshino R, Angata K, Iwamoto M, Pi M, Kuroe K, Matsuo K, Morio T, Urushihara H, Yanagisawa K, Tanaka Y: The mitochondrial DNA of *Dictyostelium discoideum*: complete sequence, gene content and genome organization 514
Ogihara Y → Kojima T
Ohba H, Steward N, Kawasaki S, Berberich T, Ikeda Y, Koizumi N, Kusano T, Sano H: Diverse response of rice and maize genes encoding homologs of WPK4, an SNF1-related protein kinase from wheat, to light, nutrients, low temperature and cytokinins 359
Ohbayashi F → Abe H
Ohmido N, Kijima K, Akiyama Y, Jong JH de, Fukui K: Quantification of total genomic DNA and selected repetitive sequences reveals concurrent changes in different DNA families in *indica* and *japonica* rice 388
Oliveira MM → Ma R-C
Oshiki T → Abe H
Osiewacz HD → Hamann A
Osman F → Doe CL
Ozawa K → Kubo N

Palomäki T → Riekki R
Pant V → Gaikwad A
Patel M → Jung S
Pearce SR, Knox M, Ellis THN, Flavell AJ, Kumar A: Pea Ty1-*copia* group retrotransposons: transpositional activity and use as markers to study genetic diversity in *Pisum* 898

Pedersen H, Hjort C, Nielsen J: Cloning and characterization of *oah*, the gene encoding oxaloacetate hydrolase in *Aspergillus niger* 281
Peery RB → Andrade AC
Pendás AM → Trichet V
Peterson T → Xiao Y-L
Petit A → Stróżycki PM
Pfennig PL → Flower AM
Pi M → Ogawa S
Pitkin JW → Hoyt MA
Pöggeler S, Kück U: Comparative analysis of the mating-type loci from *Neurospora crassa* and *Sordaria macrospora*: identification of novel transcribed ORFs 292
Powell G → Jung S
Požárková D → Macas J
Prado F, González-Barrera S, Aguilera A: *RAD52*-dependent and -independent homologous recombination initiated by Flp recombinase at a single *FRT* site flanked by direct repeats 73
Pratje E → Jan P-S
Prenafeta A → Nieto JM
Ptacek D → Somers E
Pühler A → Dröge M
Pühler A → Schiene K
Pühler A → Tauch A
Punt PJ → Brink JM van den
Purton S → Bateman JM
Putzke AP → Bitter GA

Radcliffe PA, Toda T: Characterisation of fission yeast *alp11* mutants defines three functional domains within tubulin-folding cofactor B 752
Ramne A, Bilsland-Marchesan E, Erickson S, Sunnerhagen P: The protein kinases Rck1 and Rck2 inhibit meiosis in budding yeast 253
Ramos C → Gorbunova V
Riekki R, Palomäki T, Virtaharju O, Kokko H, Romantschuk M, Saarilahti HT: Members of the amylovora group of *Erwinia* are cellulolytic and possess genes homologous to the type II secretion pathway 1031
Robertson SE → Dockendorff TC
Rodrigues V → Ayyub C
Romanova OA → Zakharenko LP
Romantschuk M → Riekki R
Ronald PC → Xu K
Rose AM → Johnsen RC
Rothstein SJ → Bi Y-M
Russell S: The *Drosophila* dominant wing mutation *Dichaete* results from ectopic expression of a *Sox*-domain gene 690

Saarilahti HT → Riekki R
Sahu SC → Behura SK
Sakanyan V → Dimova D
Sandmann G → Krubasik P
Sano H → Hara K
Sano H → Ohba H
Sano Y → Shishido R
Santini L → Giannino D
Sasaki T → Kubo N
Sato T → Hirano T
Savakis C → Benos P
Schiene K, Pühler A, Niehaus K: Transgenic tobacco plants that express an antisense construct derived from a *Medicago sativa* cDNA encoding a Rac-related small GTP-binding protein fail to develop necrotic lesions upon elicitor infiltration 761
Schneider D, Bruton CJ, Chater KF: Duplicated gene clusters suggest an interplay of glycogen and trehalose metabolism during sequential stages of aerial mycelium development in *Streptomyces coelicolor* A3(2) 543
Schouten J, Kam RJ de, Fetter K, Hoge JHC: Overexpression of *Arabidopsis thaliana SKP1* homologues in yeast inactivates the Mig1 repressor by destabilising the F-box protein Grr1 309
Schulz B → Kofler H
Schwarz E → Lisse T
Schwienhorst I, Johnson ES, Dohmen RJ: SUMO conjugation and deconjugation 771
Sears B → Hupfer H
Selbitschka W → Dröge M
Sengoku E → Jung S
Sexton AC, Howlett BJ: Characterisation of a cyanide hydratase gene in the phytopathogenic fungus *Leptosphaeria maculans* 463
Shanker S → Carlson SJ
Shen W → Meijer AH
Shi Y → de la Serna I
Shibata T → Jeong SM
Shimada T → Abe H
Shimoda N → Toyoda-Yamamoto A
Shishido K → Yamazaki T
Shishido R, Sano Y, Fukui K: Ribosomal DNAs: an exception to the conservation of gene order in rice genomes 586
Shoun H → Takaya N
Sichler K → Burger A
Siddiqi O → Ayyub C
Sierra LM → Tosal L
Simonova OB → Zakharenko LP
Skatrud PL → Andrade AC
Solano-Serena F → Neuvéglise C
Somers E, Keijers V, Ptacek D, Halvorsen Ottoy M, Srinivasan M, Vanderleyden J, Faure D: The *salCAB* operon of *Azospirillum irakense*, required for growth on salicin, is repressed by SalR, a transcriptional regulator that belongs to the LacI/GalR family 1038
Souza CC de, Goldman MHS de, Goldman GH: Tagging of genes involved in multidrug resistance in *Aspergillus nidulans* 702
Srinivasan M → Somers E
Stern DB → Monde R-A
Stevenson CB, Fox AN, Kennell JC: Senescence associated with the over-replication of a mitochondrial retroplasmid in *Neurospora crassa* 433
Steward N → Ohba H
Storici F, Bruschi CV: Involvement of the Inverted Repeat of the yeast 2-micron plasmid in Flp site-specific and *RAD52*-dependent homologous recombination 81
Stróżycki PM, Karłowski WM, Dessaux Y, Petit A, Legocki AB: Lupine *leghemoglobin I*: expression in transgenic *Lotus* and tobacco tissues 173
Sugasaki T → Abe H
Sugita C, Sugiura M, Sugita M: A novel nucleic acid-binding protein in the cyanobacterium *Synechococcus* sp. PCC6301: a soluble 33-kDa polypeptide with high sequence similarity to ribosomal protein S1 655
Sugita M → Sugita C
Sugiura M → Sugita C
Sun Q → Ni Z
Sunnerhagen P → Ramne A
Swiatek M → Hupfer H
Swift D → Jung S

Takahashi M → Dimova D
Takata H → Gunge N
Takaya N, Shoun H: Nitric oxide reduction, the last step in denitrification by *Fusarium oxysporum*, is obligatorily mediated by cytochrome P450nor 342
Tanaka A → Kaneko I
Tanaka Y → Ogawa S
Tani S, Kawaguchi T, Kato M, Kobayashi T, Tsukagoshi N: A novel nuclear factor, SREB, binds to a *cis*-acting element, SRE, required for inducible expression of the *Aspergillus oryzae* Taka-amylase A gene in *A. nidulans* 232
Tapias A, Campoy S, Barbé J: Analysis of the expression of the *Rhodobacter sphaeroides lexA* gene 957
Tatchell K → Jiang H
Tatout C → Delattre M
Tauch A, Krieft S, Kalinowski J, Pühler A: The 51,409-bp R-plasmid pTP10 from the multiresistant clinical isolate *Corynebacterium striatum* M82B is composed of DNA segments initially identified in soil bacteria and in plant, animal, and human pathogens 1
Tavernarakis N → Benos P
Terauchi R, Kahl G: Rapid isolation of promoter sequences by TAIL-PCR: the 5′-flanking regions of *Pal* and *Pgi* genes from yams (*Dioscorea*) 554
Teulé F → Jung S
Thireos G → Benos P
Ticconi C → Giannino D
Toda T → Radcliffe PA
Todd RB, Lockington RA, Kelly JM: The *Aspergillus nidulans creC* gene involved in carbon catabolite repression encodes a WD40 repeat protein 561
Tosal L, Comendador MA, Sierra LM: The *mus308* locus of *Drosophila melanogaster* is implicated in the bypass of ENU-induced O-alkylpyrimidine adducts 144
Toyoda-Yamamoto A, Shimoda N, Machida Y: Genetic analysis of the signal-sensing region of the histidine protein kinase VirA of *Agrobacterium tumefaciens* 939
Tréton B, Blanchin-Roland S, Lambert M, Lépingle A, Gaillardin C: Ambient pH signalling in ascomycetous yeasts involves homologues of the *Aspergillus nidulans* genes *palF* and *palH* 505
Trichet V, Buisine N, Mouchel N, Morán P, Pendás AM, Le Pennec J-P, Wolff J: Genomic analysis of the vitellogenin locus in rainbow trout (*Oncorhynchus mykiss*) reveals a complex history of gene amplification and retroposon activity 828

Trifa Y, Lerbs-Mache S: Extra-ribosomal function(s) of the plastid ribosomal protein L4 in the expression of ribosomal components in spinach 642
Tsai M-M → Bitter GA
Tsuge T → Kaneko I
Tsukagoshi N → Tani S
Twyman RM → Fu X
Tyler BM → de la Serna I

Urushihara H → Ogawa S

Vágújfalvi A, Crosatti C, Galiba G, Dubcovsky J, Cattivelli L: Two loci on wheat chromosome 5A regulate the differential cold-dependent expression of the *cor14b* gene in frost-tolerant and frost-sensitive genotypes 194
Valárik M → Balint-Kurti PJ
Van Duyne GD → Dimova D
Van Houdt H, Van Montagu M, Depicker A: Both sense and antisense RNAs are targets for the sense transgene-induced posttranscriptional silencing mechanism 995
Van Montagu M → Van Houdt H
Van Nistelrooy JGM → Andrade AC
Vanderleyden J → Somers E
Vega-Palas MA, Martín-Figueroa E, Florencio FJ: Telomeric silencing of a natural subtelomeric gene 287
Venditti S, Di Stefano G, Di Mauro E: Telomere-based neo-Darwinian selection of yeast clonal subpopulations 787
Virtaharju O → Riekki R
Voloshina MA → Zakharenko LP

Wallner U → Khan AS
Wang J → Wang S
Wang S, Wang J, Jiang J, Zhang Q: Mapping of centromeric regions on the molecular linkage map of rice (*Oryza sativa* L.) using centromere-associated sequences 165
Wang X → Ni Z
Weber A → Kofler H
Weigel P → Dimova D
Whitby MC → Doe CL
Williams-Abbott LJ → Hoyt MA
Wohlleben W → Burger A
Wolff J → Trichet V
Wong C → Davey M
Wu L → Ni Z
Wu M → Chang C-H

Xiao Y-L, Peterson T: Intrachromosomal homologous recombination in Arabidopsis induced by a maize transposon 22
Xu K, Xu X, Ronald PC, Mackill DJ: A high-resolution linkage map of the vicinity of the rice submergence tolerance locus *Sub1* 681
Xu X → Xu K

Yaegashi K → Hirano T
Yagi M → Hara K
Yagil E → Gottfried P
Yamazaki T, Hasebe T, Kajiwara S, Shishido K: Structure and function of a pyrimidine/purine-biased sequence from the 5′-flanking region of the basidiomycete *Lentinus edodes* gene *priA* 262
Yanagisawa K → Ogawa S
Yang Q, Bieszke JA, Borkovich KA: Differential complementation of a *Neurospora crassa* $G\alpha_i$ mutation using mammalian $G\alpha$ protein genes 712
Yoshida S, Anraku Y: Characterization of staurosporine-sensitive mutants of *Saccharomyces cerevisiae*: vacuolar functions affect staurosporine sensitivity 877
Yoshino R → Ogawa S
Yuste-Rojas M, Cross FR: Mutations in *CDC14* result in high sensitivity to cyclin gene dosage in *Saccharomyces cerevisiae* 60

Zakharenko LP, Gracheva EM, Romanova OA, Zakharov IK, Voloshina MA, Kochieva EZ, Simonova OB, Golubovsky MD, Georgiev P: *hobo*-induced rearrangements are responsible for mutation bursts at the *yellow* locus in a natural population of *Drosophila melanogaster* 335
Zakharov IK → Zakharenko LP
Zanlungo S → Kubo N
Zhang Q → Wang S
Zitomer RS → Limbach MP
Znamenskaya L → Hahnen E

CORRIGENDUM

Bongaerts J → Wackwitz B
Chiu W-L → Hupfer H
Goodman SD → Wackwitz B
Herrmann RG → Hupfer H
Hornung S → Hupfer H
Hupfer H, Swiatek M, Hornung S, Herrmann RG, Maier RM, Chiu W-L, Sears B: Complete nucleotide sequence of the *Oenothera elata* plastid chromosome, representing plastome I of the five distinguishable Euoenothera plastomes 1071
Maier RM → Hupfer H
Sears B → Hupfer H
Swiatek M → Hupfer H
Unden G → Wackwitz B
Wackwitz B, Bongaerts J, Goodman SD, Unden G: Growth phase-dependent regulation of *nuoA-N* expression in *Escherichia coli* K-12 by the Fis protein: upstream binding sites and bioenergetic significance 1070

Indexed in *Current Contents*, *Index Medicus* and EMBASE